



INTERNATIONAL GERANIACEAE GROUP SEED LIST 2018

Welcome to the new format IGG seed list! You will notice two things. The new donations for 2017/8 are listed first followed by a separate list for seeds remaining from the 2016/7 list. The IGG reference numbers for this year start WHERE THEY LEFT OFF last time. This will mean in future a donation gets a permanent number which will make reference easier.

The second important change is that packets of seed will be charged at 30p a packet plus a standard charge of £2.00 per order for postage wherever you live. Payment has also been standardised through Paypal. DO NOT SEND ANY MONEY NOW! Please wait until I tell you what to pay.

Orders should be sent by email to alan-brook-side@hotmail.com

Please list the IGG reference numbers. If a species has several donations, you can list several numbers joined by hyphens to indicate the donation preferred (eg. 71-74-72). There is no limit on packets ordered but only one per donation. Packets will contain a minimum of 2 seeds, so you have a better chance! Mostly there will be much more. Orders will be dealt with strictly in order of receipt. In due time, you will receive a reply telling you what you can have and how much to pay.

Payment can be made using this link <http://www.geraniaceae-group.org/society/seed-exchange/seed-exchange-members-only/> You will need to have registered on the website and established a password to enter this area.

Donors will receive a free packet of seeds for each packet they donated (duplicates count as one) and get half price for everything else.

Some countries have strict rules on seed imports. Members in the USA should obtain an import permit for small lots of seed obtainable from APHIS. I cannot send seed until I get this but seed will be reserved. Australia and New Zealand have lists of permitted seed to which we will refer to ensure nothing is sent with a prohibited species name.

Please note Oxalis donations with WB reference are small bulbils, not seed.

We rely on donors to correctly label seeds and pollination standards but we cannot be responsible for incorrect identification or failure to germinate or hybrids. Nor can we be responsible for seeds lost in transit for whatever reason or confiscated or destroyed by customs.

Although members who have donated seed will have done their best to name their plants accurately, there is no guarantee given regarding nomenclature. If you have any doubts when the plant has matured, please photograph a flower, a leaf and also a general view then e-mail them to David Victor for identification. This can also be done via The Forum or the GG Website in the “Plants for Identification” section. If in doubt, I can forward photographs and the query for you. Where donors have not supplied information regarding pollination; it should be assumed the seed has been “open pollinated”. Where pollination type is known, the following abbreviations are used; - **HP = Hand Pollinated, OP = Open pollinated, SP = Self Pollinated, FC = Field Collected** Seed raised from cultivars will probably not come true from seed and are not entitled to the original cultivar name but I have left the names as received from donors.

Please note I have listed succulent Monsonias under the old name of Sarcocaulon.

Double or Triple Capital letters at the end of the listing informs you which donor sent the seed. (See the separate list of donors for 2018). There are several new donors and we are extremely grateful for all donations without which we could not produce such an extensive seed list.

IGG Seed List 2017/8

549	Erodium x lindavicum	mixed pink and white flowers op	MLH
550	Erodium acaule	ex GG 2015/257/RK gp	GR
551	Erodium aethyopicum	op	RK
552	Erodium botrys	ex mat. Mountain Rd. Cape Pen. nick to germinate sp	GR
553	Erodium botrys	op	RK
554	Erodium brachycarpum	op	RK
555	Erodium carvifolium	op	MLH
556	Erodium castellanum	op	RK
557	Erodium cf. Moschatum	Mt Rd. Kommetjie, Cape. Compact, divided lvs sp	GR
558	Erodium chium	op	RK
559	Erodium cicutarium	self sown in nursery stock sp	GR
560	Erodium crinitum	ex GG 2017/487/RR sp	GR
561	Erodium crinitum		RR
562	Erodium ex Ardwick Redeye	op	RK
563	Erodium ex Blue hybrids	John Anton Smith op	RK
564	Erodium gruinum	ex GG 2017/488/RR sp	GR
565	Erodium gruinum		PB
566	Erodium gruinum	Canada op	AC
567	Erodium guttatum	ex GG 2015/261/LF sp/hp	GR
568	Erodium Iberian type	mixed op	MLH
569	Erodium malacoides		RR
570	Erodium manescavii		CR
571	Erodium maritimum	op	RK
572	Erodium moschatum	Fish Hoek civic centre gdns Cape Prov. Sp	GR
573	Erodium moschatum	op	RK
574	Erodium pelargoniflorum	Canada op	AC
575	Erodium pelargoniflorum	ex Guitt730626605 Saray Mahallesi, Turkey	RR
576	Erodium sp.	small white flowers	PW

577	<i>Erodium</i> sp.	small white flowers op	LF
578	<i>Erodium telavivense</i>	ex GG 2017/497/RR sp	GR
579	<i>Erodium telavivense</i>	hp	CS
580	<i>Erodium trifolium</i>	ex GG 2015/266/MH hp	GR
581	<i>Erodium trifolium</i>		PW
582	<i>Erodium trifolium</i>	op	RK
583	<i>Erodium trifolium</i> (hymenodes)	ex GG 2017/498/AR hp	GR
584	<i>Geranium x</i> lindavicum	pink flowers op	MLH
585	<i>Geranium arabicum</i>	PDE14 Banbouttos Mts. Cameroons at 2304 m fc	DE
586	<i>Geranium argenteum</i>	op	MLH
587	<i>Geranium aristatum</i>		DE
588	<i>Geranium aristatum</i>	op	RK
589	<i>Geranium bayeri</i>	DXV 0916 coll. Nandes Nek, E.Cape RSA fc	DXV
590	<i>Geranium biuncinatum</i>	ex Mus. Hist.Naturel Paris from seed coll.in Yemen	PB
591	<i>Geranium bohemicum</i>		DE
592	<i>Geranium caespitosum</i>	pale pink flowers op	MLH
593	<i>Geranium</i> cf saxatile	Kyrgyzstan, Talas Ala-Too ridge at 2800m fc	AN
594	<i>Geranium cinereum</i>	op	MLH
595	<i>Geranium cinereum</i>	mixed dark pink/purple flowers op	MLH
596	<i>Geranium collinum</i> 'Tien Shan'	op	MVV
597	<i>Geranium</i> 'Danny Boy'		DE
598	<i>Geranium himalayense</i> 'Derek Cook'	op	MVV
599	<i>Geranium ibericum</i> ssp jubatum	White Zyghana'	DE
600	<i>Geranium ibericum</i> 'Ushguli Grey'	op	MVV
601	<i>Geranium krameri</i>	BSWJ 1142 coll, Korea, Cheju-do fc	DXV
602	<i>Geranium maculatum</i>	Kate Dryden'	DE
603	<i>Geranium maculatum</i>	Shameface'	DE
604	<i>Geranium nanum</i>	op	RK
605	<i>Geranium onoei</i> v.onoei f.yezoense	Mt.Tengu, Hokkaido,Japan from Yusawa Engei nursery	DE
606	<i>Geranium platyanthum</i>	Russian Giant'	DE
607	<i>Geranium platypetalum</i>	Dark Side of the Moon'	DE
608	<i>Geranium platypetalum</i>	Turkey op	MLH
609	<i>Geranium platypetalum</i>	op	MVV
610	<i>Geranium platypetalum</i>	op	RK
611	<i>Geranium pratense</i> 'Black & White Army'	op	MVV
612	<i>Geranium pratense</i> 'Moonlight'	op	MVV
613	<i>Geranium pratense</i> ssp stewartianum	Raina' coll. Dr Raina	DE
614	<i>Geranium psilostemon</i>	Jason Bloom'	DE
615	<i>Geranium renardii</i>	Sarah Comish'	DE
616	<i>Geranium robustum</i>		DE
617	<i>Geranium saxatile</i>	ex Tian-Shan and Pamir op	AN
618	<i>Geranium</i> sp.BET 15-2	Chile, Yerba Lorca,2000 m 33°20' S.70°18' fc	DE
619	<i>Geranium</i> sp.no.1	Sani Pass, Lesotho	JM
620	<i>Geranium</i> sp.no.2	Sani Pass, Lesotho	JM
621	<i>Geranium subacutum</i>	white/pale pink flowers op	MLH
622	<i>Geranium subacutum</i> hybrid	pink flowers op	MLH
623	<i>Geranium subulato-stipulatum</i>		DE
624	<i>Geranium sylvaticum</i>	Mayflower'	DE
625	<i>Geranium sylvaticum</i>	Kanzlersgrund'	DE
626	<i>Geranium sylvaticum</i>	Ray Pink'	DE

627	<i>Geranium sylvaticum</i>	Birgit Leon'	DE
628	<i>Geranium sylvaticum</i>	Coquetdale Lilac'	DE
629	<i>Geranium yesoense</i>	ID? From Crug Farm	DE
630	<i>Geranium yesoense v.nipponicum</i>	from Algeria	DE
631	<i>Monsonia emarginata</i>		PB
632	<i>Monsonia emarginata</i>	controlled pollination ex Silverhill Seeds	CW
633	<i>Oxalis alpina</i>	light green leaf, pink flower, Sedona, Arizona	WB
634	<i>Oxalis annae</i>	30 km NE Vanrhynsdorp, W.Cape, white fl.	GR
635	<i>Oxalis annae</i>	4 km N.Koekenaap, W. Cape, white fl.	GR
636	<i>Oxalis annae</i>	33 km E.Kliprand, N. Knersvlakte, yellow fl.	GR
637	<i>Oxalis arenaria</i>	deep pink flowers, deep grey leaf, Chile	WB
638	<i>Oxalis brasiliensis</i>	deep violet flowers	WB
639	<i>Oxalis corymbosa</i>	American type, pink flower, Houston, Texas	WB
640	<i>Oxalis corymbosa</i>	CRS 203, pink flower, coll. RSA	WB
641	<i>Oxalis debilis</i>	white flowers, New Zealand	WB
642	<i>Oxalis decaphylla</i>	pink flowers, beautiful leaf, Mexico	WB
643	<i>Oxalis decaphylla</i>	pink flowers, wide leaf, Mexico	WB
644	<i>Oxalis decaphylla v.greyii</i>	palmate leaf, pink flower, coll. Greer, Arizona	WB
645	<i>Oxalis deppei</i>	brick red flower, prop, from 25 yr old pl., Mexico	WB
646	<i>Oxalis depressa</i>	5km E. Misgund, Langkloof, Southern Cape pink fl.	GR
647	<i>Oxalis depressa</i>	E. Brandvlei Dam, 11 km S. Worcester pink fl.	GR
648	<i>Oxalis depressa</i>	Joubertina, Langkloof, S.Cape, pink fl.	GR
649	<i>Oxalis discolor</i>	pink flowers, dark bulbils, Mexico	WB
650	<i>Oxalis drummondii</i>	odd 3 leaf, pink flower, Texas	WB
651	<i>Oxalis fergusoniae</i> type	Buffelsjagrivier, S.Cape, flowers not seen	GR
652	<i>Oxalis fergusoniae</i> type	Speelmanskraal, W.Langkloof, wh.fl.c.lvs.unifoliate	GR
653	<i>Oxalis galeotti</i>	white or lavender flowers, coll.Mexico	WB
654	<i>Oxalis hernandesii</i>	pink flower, nice palmate leaves, Mexico	WB
655	<i>Oxalis inaequalis</i>	15 km W.Robertson, SW Cape, pink fl.	GR
656	<i>Oxalis inaequalis</i>	6-7km S. Calitzdorp, S.Cape, orange fl.	GR
657	<i>Oxalis inaequalis</i>	Vanwyksdorp, S.Cape, orange fl.	GR
658	<i>Oxalis inaequalis</i>	E. Brandvlei Dam, Worcester, SW Cape, white fl.	GR
659	<i>Oxalis inaequalis</i>	Hex River Valley, SW Cape.purply-pink fl.	GR
660	<i>Oxalis intermedia</i>	elongated leaflets,pink flowers, New Orleans LA	WB
661	<i>Oxalis lasiandra</i>	deep fuchsia flower, Mexico	WB
662	<i>Oxalis latifolia</i>	purple leaf, pink flower, Central America	WB
663	<i>Oxalis magnifica</i>	palmate multiple leaf, pink flower, Mexico	WB
664	<i>Oxalis nelsonii</i>	pink flower, 5-6 leaves, Mexico	WB
665	<i>Oxalis paraguayensis</i>	flat growing, pink flowers, pretty, coll.Argentina	WB
666	<i>Oxalis pocockiae</i>	Top Botterkloof Pass, N. Cape white fl.	GR
667	<i>Oxalis pocockiae</i>	Kliprand-Zoutrivier, N.Knersvlakte white fl.	GR
668	<i>Oxalis pocockiae</i>	Hex River Val., SW Cape.wh.-pale pk fl.red lvs under	GR
669	<i>Oxalis pocockiae</i>	Top Piekenierskloof Pass, W.Cape.white-pale pink fl.	GR
670	<i>Oxalis pocockiae</i>	Bloukrans Pass, c.23km S.Calvinia, white-pale pink fl.	GR
671	<i>Oxalis pocockiae</i>	30 km W.Calvinia, white-pale pink fl.	GR
672	<i>Oxalis purpurea</i> ("laburnifolia")	3kSE Heerenloge, NW Clanw,pl yel.fl.gr/purp mot.lv	GR
673	<i>Oxalis purpurea</i> ("laburnifolia")	4.6 km E.Graafwater, W.Clanw, pl yel fl.broad lf	GR
674	<i>Oxalis</i> sp. 4A	5 leaf, deep pink flower, hirsute stem, Arizona	WB
675	<i>Oxalis</i> sp. RM 259	light lavender flowers, Cajamarca, Peru	WB
676	<i>Oxalis</i> sp. RM 57	pink flower, odd 4-leaf, Durango, Mexico	WB
677	<i>Oxalis</i> sp.'Fish Tail'	pink flower, Mexico	WB

678	<i>Oxalis stipularis</i>	palmate divided leaf, pink flower, Central America	WB
679	<i>Oxalis tetraphylla</i>	robust 4 leaf, pink flowers, Mexico	WB
680	<i>Oxalis tetraphylla</i>	brick red flower, large leaf, Mexico	WB
681	<i>Oxalis tetraphylla</i>	square leaf, pink flower, Mexico	WB
682	<i>Oxalis trolli</i>	thick leaf, pink flower, South America	WB
683	<i>Pelargonium ovale</i> ssp <i>hyalinum</i>	GE 4095	DXV
684	<i>Pelargonium abrotanifolium</i>	GE 4316 ex Fibrex	DXV
685	<i>Pelargonium abrotanifolium</i>	LF313 op	LF
686	<i>Pelargonium abrotanifolium</i> x <i>reniforme</i>	LF173 op	LF
687	<i>Pelargonium acetosum</i>	GE 1205	DXV
688	<i>Pelargonium acetosum</i>	gs	TO
689	<i>Pelargonium acetosum</i>	op	CJ
690	<i>Pelargonium aciculatum</i>	GE 1654 Lav 2869 Piketberg	DXV
691	<i>Pelargonium aciculatum</i>	hp	BH
692	<i>Pelargonium adriaanii</i>	GE 4014 DXV 1316 Port Nolloth fc	DXV
693	<i>Pelargonium aestivale</i>	Murraysburg	MS
694	<i>Pelargonium aff carnosum</i>	SR5507 red flowers op	SR
695	<i>Pelargonium aff naviculifolium</i>	MST 772	MS
696	<i>Pelargonium albersii</i>	GE 3159 coll. Beauvallon ex Atomic Nursery	DXV
697	<i>Pelargonium alchemilloides</i>	ex Silverhill sp	GR
698	<i>Pelargonium alchemilloides</i>	ex Silverhill as <i>P.ranunculophyllum</i> sp	GR
699	<i>Pelargonium alchemilloides</i>	ex Silv.as <i>P.articulatum</i> , yellowish fl., divided lvs sp	GR
700	<i>Pelargonium alchemilloides</i>	Kirstenbosch seed as <i>P.transvaalense</i> sp	GR
701	<i>Pelargonium alchemilloides</i>		PW
702	<i>Pelargonium alchemilloides</i>		CH
703	<i>Pelargonium alchemilloides</i>	pink flowers	RR
704	<i>Pelargonium alchemilloides</i>	gs	TO
705	<i>Pelargonium alchemilloides</i>	op	CJ
706	<i>Pelargonium alternans</i>	op	RC
707	<i>Pelargonium alternans</i>	ex Pakhuis Pass, RSA hp	JM
708	<i>Pelargonium alternans</i>	sp	KK
709	<i>Pelargonium alternans</i> ssp <i>alternans</i>	various	DXV
710	<i>Pelargonium alternans</i> ssp <i>longicalcar</i>	GE 2468 MST 254 Rooinek Pass	DXV
711	<i>Pelargonium alternans</i> ssp <i>parviinflouescens</i>	GE 4196 Münster BG A14479	DXV
712	<i>Pelargonium althaeoides</i>	GE 4276	DXV
713	<i>Pelargonium anethifolium</i>		PL
714	<i>Pelargonium apifolium</i> x <i>rutaceum</i>		GA
715	<i>Pelargonium appendiculatum</i>	from material collected in RSA	PB
716	<i>Pelargonium appendiculatum</i>		CR
717	<i>Pelargonium appendiculatum</i>	various clones	DXV
718	<i>Pelargonium appendiculatum</i>	sp	CS
719	<i>Pelargonium aridum</i>	ex GG 2013/18/PB sp	GR
720	<i>Pelargonium aridum</i>		PB
721	<i>Pelargonium aridum</i>		CR
722	<i>Pelargonium aridum</i>		GA
723	<i>Pelargonium aridum</i>	op	RC
724	<i>Pelargonium aridum</i>	hp	CS
725	<i>Pelargonium aridum</i> x <i>quinquelobatum</i>		RR
726	<i>Pelargonium articulatum</i>	GE 4022 DXV 13 18 Kamiesberg	DXV
727	<i>Pelargonium articulatum</i>	op	ABR
728	<i>Pelargonium auritum</i> v. <i>auritum</i>		PB

729	<i>Pelargonium auritum</i> v.auritum	various clones	DXV
730	<i>Pelargonium auritum</i> v.auritum		ABS
731	<i>Pelargonium auritum</i> v.carneum	GE 2219 Silverhill seeds, Kamiesberg	DXV
732	<i>Pelargonium australe</i>	large leaf	PW
733	<i>Pelargonium australe</i>	small leaves	PW
734	<i>Pelargonium australe</i>	LF415 op	LF
735	<i>Pelargonium australe</i>	LF318 op	LF
736	<i>Pelargonium australe</i>	pink flowers, red stems gs	TO
737	<i>Pelargonium australe</i>		GA
738	<i>Pelargonium australe</i> 'Redondo'		CH
739	<i>Pelargonium barklyi</i>		PB
740	<i>Pelargonium barklyi</i>		CR
741	<i>Pelargonium barklyi</i>	op	LF
742	<i>Pelargonium barklyi</i>	op	BH
743	<i>Pelargonium barklyi</i>	hp	JAA
744	<i>Pelargonium barklyi</i>	hp	CS
745	<i>Pelargonium barklyi</i>	controlled pollination	CW
746	<i>Pelargonium barklyi</i>	sp	KK
747	<i>Pelargonium buysii</i>		PB
748	<i>Pelargonium buysii</i>	GE 4281	DXV
749	<i>Pelargonium caledonicum</i>	ex Caledon, RSA hp	JM
750	<i>Pelargonium caledonicum</i>	sp	KK
751	<i>Pelargonium canariense</i>	could be <i>P.candicans</i> 'canariense'	PB
752	<i>Pelargonium candicans</i>	GE 4373 Münster BG	DXV
753	<i>Pelargonium capitatum</i>	Canada op	AC
754	<i>Pelargonium capitatum</i>	ex GG from Montague Pass	CR
755	<i>Pelargonium capitatum</i>	ex MV 21589	CR
756	<i>Pelargonium capitatum</i>	GE 4113 Silverhill seeds	DXV
757	<i>Pelargonium capitatum</i>		MS
758	<i>Pelargonium capitatum</i>		PL
759	<i>Pelargonium capitatum</i>	Elim, RSA fc	JM
760	<i>Pelargonium capitatum</i>	ex Piketberg, RSA hp	JM
761	<i>Pelargonium carneum</i>	ex Swellendam, RSA hp	JM
762	<i>Pelargonium carnosum</i>	ex DT6732 Derek Tribble 1995 op	SR
763	<i>Pelargonium carnosum</i>	GE 4162 (MV 2116)	DXV
764	<i>Pelargonium carnosum</i> complex	DXV 1301 GE 3977 Knersvlakte	DXV
765	<i>Pelargonium carnosum</i> complex	GE 2839 MV3113 Alexander Bay	DXV
766	<i>Pelargonium carnosum</i> complex	GE 2917 DT 5690 Poortjieskloof	DXV
767	<i>Pelargonium carnosum</i> complex	GE 3199 DT 4057 Springbok	DXV
768	<i>Pelargonium carnosum</i> complex	GE 3287 A&B 4435 Worcester	DXV
769	<i>Pelargonium caroli-henrici</i>	JAA1407 Moedverloor hp	JAA
770	<i>Pelargonium caucalifolium</i>		PW
771	<i>Pelargonium caucalifolium</i>	op	CJ
772	<i>Pelargonium caylae</i>		PB
773	<i>Pelargonium caylae</i>	GE 3312 ex J-A Audissou	DXV
774	<i>Pelargonium caylae</i>	op	ABR
775	<i>Pelargonium ceratophyllum</i>	GE 4062 Lav.19685 Münster BG Lüderitz	DXV
776	<i>Pelargonium ceratophyllum</i>	LF3, 27 & 28 op	LF
777	<i>Pelargonium ceratophyllum</i>	op	CJ
778	<i>Pelargonium chamaedrifolium</i>		PB
779	<i>Pelargonium chamaedrifolium</i>	gs	TO

780	<i>Pelargonium chamaedrifolium</i>	(syn <i>P. althaeoides</i>) isolated pollination sp	JM
781	<i>Pelargonium columbinum</i>	GE 4279	DXV
782	<i>Pelargonium cordifolium</i>	GE 4114 Silverhill seeds	DXV
783	<i>Pelargonium cotyledonis</i>		PL
784	<i>Pelargonium cotyledonis</i> 'Ventnor'		GA
785	<i>Pelargonium crassicaule</i>	MST 683	MS
786	<i>Pelargonium crassicaule</i>	sp	KK
787	<i>Pelargonium crithmifolium</i>	GE 2967 DXV 11 01 Knersvlakte	DXV
788	<i>Pelargonium cucullatum</i>	ex GG 2008/LD ruffled leaves, nice scent	CR
789	<i>Pelargonium cucullatum</i> ssp <i>cucullatum</i>	GE 4105	DXV
790	<i>Pelargonium cucullatum</i> ssp <i>tabulare</i>	GE 4100 ex Greig Russell	DXV
791	<i>Pelargonium curviandrum</i>	hp	BH
792	<i>Pelargonium curviandrum</i>	controlled pollination	CW
793	<i>Pelargonium dasyphyllum</i>	SR2204 ex MV3313 op	SR
794	<i>Pelargonium dasyphyllum</i>	GE 2456 MST 336 Springbok	DXV
795	<i>Pelargonium dasyphyllum</i>	GE 4063 STEU 2852	DXV
796	<i>Pelargonium dasyphyllum</i>		CH
797	<i>Pelargonium denticulatum</i>	various	DXV
798	<i>Pelargonium denticulatum</i>	op	RC
799	<i>Pelargonium dichondraefolium</i>	from material collected in RSA	PB
800	<i>Pelargonium dolomiticum</i>	GE 4272 ex Atomic Nursery	DXV
801	<i>Pelargonium echinatum</i>	coll. Vredendal, RSA fc	CR
802	<i>Pelargonium echinatum</i>	GE 3994 DXV 13 09 S. of Lekkersing	DXV
803	<i>Pelargonium elongatum</i>	ex GG 2015/170/RM nice clone sp	GR
804	<i>Pelargonium elongatum</i>	N.face Slangkop, Kommetjie, Cape Pen.sp	GR
805	<i>Pelargonium elongatum</i>	non zonal clone	PB
806	<i>Pelargonium elongatum</i>		PB
807	<i>Pelargonium elongatum</i>	sp	CS
808	<i>Pelargonium endlicherianum</i>	op	MLX
809	<i>Pelargonium endlicherianum</i>	GE 0862 ES 95 217 Ala Dad, Turkey	DXV
810	<i>Pelargonium endlicherianum</i>		CH
811	<i>Pelargonium englerianum</i>	from material collected in RSA	PB
813	<i>Pelargonium englerianum</i>	GE 4101 Silverhill seeds	DXV
814	<i>Pelargonium englerianum</i>	LF409 op	LF
815	<i>Pelargonium exhibens</i>	MST 238	MS
816	<i>Pelargonium exhibens</i>	op	CJ
817	<i>Pelargonium exhibens</i>	sp	CS
818	<i>Pelargonium frutetorum</i>	ex plants Jonkershoek garden,nick to germinate sp	GR
819	<i>Pelargonium frutetorum</i>		RR
820	<i>Pelargonium fulgidum</i>	GE 3986 DXV 13 07 Vredendal	DXV
821	<i>Pelargonium fulgidum</i>	op	RC
822	<i>Pelargonium fulgidum</i>	op	CJ
823	<i>Pelargonium gibbosum</i>	controlled pollination	CW
824	<i>Pelargonium glutinosum</i>	GE 4108 Silverhill seeds	DXV
825	<i>Pelargonium gracillimum</i>	MST 788	MS
826	<i>Pelargonium grossularioides</i>	GE 4280	DXV
827	<i>Pelargonium grossularioides</i>	op	CJ
828	<i>Pelargonium hirtum</i>	ex plant from above 4th Clifton beach, Cape Town sp	GR
829	<i>Pelargonium hirtum</i>	GE 2345 MST 319 Darling	DXV
830	<i>Pelargonium hirtum</i>	LF438 op	LF
831	<i>Pelargonium hirtum</i>	MST 319	MS

832	<i>Pelargonium hirtum</i>	op	CJ
833	<i>Pelargonium hirtum</i>	sp	CS
834	<i>Pelargonium hirtum</i>	op	ABR
835	<i>Pelargonium hispidum</i>	ex RBG Edinburgh from seed collected in RSA	PB
836	<i>Pelargonium hispidum</i>		CR
837	<i>Pelargonium hispidum</i>	GE 4099 Silverhill seeds	DXV
838	<i>Pelargonium hispidum</i>	op	CJ
839	<i>Pelargonium hystrix</i>	GE 4356 ex J-A Audissou Matjiesfontein	DXV
840	<i>Pelargonium inquinans</i>	ex RBG Edinburgh from seed collected in RSA	PB
841	<i>Pelargonium inquinans</i>		MS
842	<i>Pelargonium iocastum</i>		PW
843	<i>Pelargonium iocastum</i>		CR
844	<i>Pelargonium iocastum</i>	GE 4275	DXV
845	<i>Pelargonium iocastum</i>	gs	TO
846	<i>Pelargonium ionidiflorum</i>	GE 4141	DXV
847	<i>Pelargonium laevigatum</i>	ex RBG Edinburgh from seed collected in RSA	PB
848	<i>Pelargonium lanceolatum</i>	ex RBG Edinburgh from seed collected in RSA	PB
849	<i>Pelargonium lateripes</i>	Canada op	AC
850	<i>Pelargonium lateripes</i>	op	CJ
851	<i>Pelargonium laxum</i>	GE 4269 red seedling from Luuts Feenstra seed	DXV
852	<i>Pelargonium laxum</i>	sp	KK
853	<i>Pelargonium laxum</i>	GE 2708 MST 217 Cradock, E.Cape	DXV
854	<i>Pelargonium laxum ssp laxum</i>	ex DT3012 Hanky 1995 Mc92-1995 op	SR
855	<i>Pelargonium laxum ssp laxum</i>	GE 3086 Ernst van Jaarsveld, Anysberg reserve	DXV
856	<i>Pelargonium laxum v.karooicum</i>	GE 4060 A&B 4447 Klein Karoo, Oudtshoorn	DXV
857	<i>Pelargonium leipoldtii</i>	hp	BH
858	<i>Pelargonium littorale</i>	GE 4291	DXV
859	<i>Pelargonium lobatum</i>	LF50 & 540 op	LF
860	<i>Pelargonium madagascariense</i>		CH
861	<i>Pelargonium madagascariense</i>		RR
862	<i>Pelargonium madagascariense</i>	gs	TO
863	<i>Pelargonium madagascariense</i>		GA
864	<i>Pelargonium madagascariense</i>	op	RC
865	<i>Pelargonium madagascariense</i>	ex RR seedlist 2016 op	CJ
866	<i>Pelargonium magenteum</i>	hp	BH
867	<i>Pelargonium mammulosum</i> RC	syn <i>carnosum</i> SR3211 ex MV2448 op	SR
868	<i>Pelargonium mirabile</i>	sp	KK
869	<i>Pelargonium mollicomum</i>	from material collected in RSA	PB
870	<i>Pelargonium mollicomum</i>		PW
871	<i>Pelargonium mollicomum</i>	GE 3250	DXV
872	<i>Pelargonium mollicomum</i>	LF460 op	LF
873	<i>Pelargonium mollicomum</i>	op	CJ
874	<i>Pelargonium moniliforme</i>	various	DXV
875	<i>Pelargonium moniliforme</i>	op	BH
876	<i>Pelargonium moniliforme</i>	JAA4331 Skimmelberg hp	JAA
877	<i>Pelargonium multibracteatum</i>	ex GG 2013/117/JE sp	GR
878	<i>Pelargonium multibracteatum</i>		PW
879	<i>Pelargonium multibracteatum</i>	LF368 pink flowers op	LF
880	<i>Pelargonium multibracteatum</i>		RR
881	<i>Pelargonium multicaule ssp multicaule</i>		PW
882	<i>Pelargonium mutans</i>	ex GG 2013/119/PM or JM sp	GR

883	<i>Pelargonium mutans</i>	op	LF
884	<i>Pelargonium myrrhifolium</i> v. <i>coriandrifolium</i>	from material collected in RSA	PB
885	<i>Pelargonium myrrhifolium</i> v. <i>coriandrifolium</i>	GE 4274 Münster BG	DXV
886	<i>Pelargonium myrrhifolium</i> v. <i>coriandrifolium</i>	LF 507 op	LF
887	<i>Pelargonium myrrhifolium</i> v. <i>fruticosum</i>	controlled pollination	CW
888	<i>Pelargonium myrrhifolium</i> v. <i>myrrhifolium</i>	op	ABR
889	<i>Pelargonium namaquensis</i>	hp	BH
890	<i>Pelargonium nanum</i>	GE 4064 Silverhill seeds	DXV
891	<i>Pelargonium nanum</i>	gs	TO
892	<i>Pelargonium nanum</i>	sp	KK
893	<i>Pelargonium oblongatum</i>	various	DXV
894	<i>Pelargonium oblongatum</i>	MST 707	MS
895	<i>Pelargonium oblongatum</i>		ABS
896	<i>Pelargonium oblongatum</i>	sp	KK
897	<i>Pelargonium ochroleum</i>	hp	BH
898	<i>Pelargonium odoratissimum</i>		GA
899	<i>Pelargonium odoratissimum</i>	op	CJ
900	<i>Pelargonium odoratissimum</i>	ex Buffeljagdsrivier, RSA isolated pollination sp	JM
901	<i>Pelargonium oenothera</i>	ex Piketberg, RSA hp	JM
902	<i>Pelargonium oreophyllum</i>	controlled pollination	CW
903	<i>Pelargonium ovale</i>	hp	CS
904	<i>Pelargonium ovale</i> ssp <i>hyalinum</i>	hp	JM
905	<i>Pelargonium pachypodium</i> complex	GE 3087 MV 5851	DXV
906	<i>Pelargonium pachypodium</i> complex	GE 3173	DXV
907	<i>Pelargonium pachypodium</i> complex	GE 4412 Lav. 25716 cutting	DXV
908	<i>Pelargonium pachypodium</i> complex	GE 4443 Münster BG Laingsburg	DXV
909	<i>Pelargonium paniculatum</i>	GE 2897	DXV
910	<i>Pelargonium papilionaceum</i>	from material collected in RSA	PB
911	<i>Pelargonium papilionaceum</i>		CR
912	<i>Pelargonium papilionaceum</i>	GE 4087 Silverhill seeds	DXV
913	<i>Pelargonium papilionaceum</i>		CH
914	<i>Pelargonium papilionaceum</i>	op	CJ
915	<i>Pelargonium papilionaceum</i>	isolated pollination sp	JM
916	<i>Pelargonium papilionaceum</i>	hp	CS
917	<i>Pelargonium papilionaceum</i>	sp	KK
918	<i>Pelargonium parviflorum</i>	GE 2889	DXV
919	<i>Pelargonium parviflorum</i>	GE 3137 ex Mary Hoogvliet, Alexander Bay	DXV
920	<i>Pelargonium parviflorum</i>	GE 4396 DXV 15 01 Kamieskroon	DXV
921	<i>Pelargonium parviflorum</i>	GE 2595 MV 6822	DXV
922	<i>Pelargonium parviflorum</i>	LF070 op	LF
923	<i>Pelargonium parviflorum</i>	MV 6822 hp	PL
924	<i>Pelargonium parviflorum</i>	hp	CS
925	<i>Pelargonium parvipetalum</i>	op	CJ
926	<i>Pelargonium patulum</i>	Canada op	AC
927	<i>Pelargonium peltatum</i>	GE 4075 ex Fibrex	DXV
928	<i>Pelargonium peltatum</i>	LF 466 pink flowers op	LF
929	<i>Pelargonium peltatum</i>	LF374 white flowers op	LF
930	<i>Pelargonium peltatum</i>		MS
931	<i>Pelargonium petroselinifolium</i>		PL
932	<i>Pelargonium polycephalum</i> × <i>carnosum</i> clx	see Summer 2017 newsletter	DXV
933	<i>Pelargonium psammophilum</i>	MST 461	MS

934	<i>Pelargonium pseudoglutinosum</i>	GE 4077 Klein Karoo, Oudtshoorn	DXV
935	<i>Pelargonium punctatum</i>	MST 729	MS
936	<i>Pelargonium quercifolium</i>	GE 4096 Klein Karoo, Oudtshoorn	DXV
937	<i>Pelargonium quercifolium</i>	Oudtshoorn op	CJ
938	<i>Pelargonium quinquelobatum</i>	ex GG 2013/150,152 & 153 mix grey,pink,blue sp	GR
939	<i>Pelargonium quinquelobatum</i>	ex GG 2013/151/RR large yellow flowers sp	GR
940	<i>Pelargonium quinquelobatum</i>	GE 4058 Pavelka Kenya	DXV
941	<i>Pelargonium quinquelobatum</i>		CH
942	<i>Pelargonium quinquelobatum</i>	Yemen	RR
943	<i>Pelargonium quinquelobatum</i>	large yellow flowers	RR
944	<i>Pelargonium quinquelobatum</i>	grey flowers	RR
945	<i>Pelargonium quinquelobatum</i>	op	CJ
946	<i>Pelargonium radens</i>		PW
947	<i>Pelargonium radens</i>	GE 4104 Silverhill seeds	DXV
948	<i>Pelargonium radicatum</i>	hp	JM
949	<i>Pelargonium radulifolium</i>	various	DXV
950	<i>Pelargonium radulifolium</i>	MV 4636 hp	BH
951	<i>Pelargonium radulifolium</i>	controlled pollination	CW
952	<i>Pelargonium ranunculophyllum</i>	Canada op	AC
953	<i>Pelargonium ranunculophyllum</i>	op	CJ
954	<i>Pelargonium rapaceum</i>	various	DXV
955	<i>Pelargonium redactum</i>	from material collected in RSA	PB
956	<i>Pelargonium redactum</i>	isolated pollination sp	JM
957	<i>Pelargonium reflexipetalum</i>	MST 432	MS
958	<i>Pelargonium reflexipetalum</i>	Pakhuispas, RSA fc	JM
959	<i>Pelargonium reniforme</i>	LF192 op	LF
960	<i>Pelargonium reniforme</i>	gs	TO
961	<i>Pelargonium reniforme</i>	op	CJ
962	<i>Pelargonium ribifolium</i>	Michell's Pass, RSA fc	JM
963	<i>Pelargonium rodneyanum</i>	hp	JM
964	<i>Pelargonium saxatile</i>	MST 774	MS
965	<i>Pelargonium scabrum</i>	from material collected in RSA	PB
966	<i>Pelargonium scabrum</i>	gs	TO
967	<i>Pelargonium schizopetalum</i>		GA
968	<i>Pelargonium senecioides</i>	gs	TO
969	<i>Pelargonium senecioides</i>		GA
970	<i>Pelargonium senecioides</i>	op	RC
971	<i>Pelargonium senecioides</i>	isolated pollination sp	JM
972	<i>Pelargonium senecioides</i>	sp	CS
973	<i>Pelargonium sidoides</i>	MST 212 Cradock E.Cape	DXV
974	<i>Pelargonium sidoides</i>	LF059 flowers dark purple op	LF
975	<i>Pelargonium sp aff onustifolium</i>	GE 4365 Chas, Craib	DXV
976	<i>Pelargonium sp Australia</i>	small plt, glabrous lvs, deep pk fl.(GGlist australe)	RR
977	<i>Pelargonium sp Australia(was GG helmsii)</i>	hybrid?trailing,crinkly leaves,white fl.maroon guides	RR
978	<i>Pelargonium sp.</i>	pungent peppermint (tomentosa?)	GA
979	<i>Pelargonium sp.</i>	MV 6821 hp	BH
980	<i>Pelargonium sp. 1308</i>	hp	BH
981	<i>Pelargonium sp.section Hoarea</i>	LF324 op	LF
982	<i>Pelargonium spinosum</i>	op	BH
983	<i>Pelargonium stipulaceum</i>	GE 2459 MST 585	DXV
984	<i>Pelargonium stipulaceum</i>	sp	KK

985	<i>Pelargonium tabulare</i>	from material collected in RSA	PB
986	<i>Pelargonium tabulare</i>	non zonal clone	PB
987	<i>Pelargonium tabulare</i>	GE 4109 Silverhill seeds	DXV
988	<i>Pelargonium tabulare</i>	op	CJ
989	<i>Pelargonium tabulare glaucophyllum</i>		GA
990	<i>Pelargonium ternatum</i>		PB
991	<i>Pelargonium ternifolium</i>	MST 753	MS
992	<i>Pelargonium ternifolium</i>	MST 753	MS
993	<i>Pelargonium tomentosum</i>	sp	KK
994	<i>Pelargonium tongaense</i>	ex SAGPS and Kirstenbosch sp	GR
995	<i>Pelargonium tongaense</i>		MS
996	<i>Pelargonium tongaense</i>	op	CJ
997	<i>Pelargonium tragacanthoides</i>	sp	CS
998	<i>Pelargonium triandrum</i>	GE 1202 Cape Flora	DXV
999	<i>Pelargonium tricolor</i>	Robin Parer plant hp	BH
1000	<i>Pelargonium trifidum</i>	GE 4304 JPD9 De Rust	DXV
1001	<i>Pelargonium trifidum</i>	LF522 op	LF
1002	<i>Pelargonium trifoliatum</i>	MST 748	MS
1003	<i>Pelargonium triphyllum</i>	MST 909	MS
1004	<i>Pelargonium triste</i>	various	DXV
1005	<i>Pelargonium triste</i>	LF053 op	LF
1006	<i>Pelargonium triste</i>	hp	BH
1007	<i>Pelargonium urbanum</i>		CH
1008	<i>Pelargonium urbanum</i>	gs	TO
1009	<i>Pelargonium vinaceum</i>	GE 4025 Atomic Nursery, Springbok	DXV
1010	<i>Pelargonium vinaceum</i>	JAA1373 Kourkammaberge hp	JAA
1011	<i>Pelargonium vinaceum</i>	hp	JM
1012	<i>Pelargonium violiflorum</i>	hp	BH
1013	<i>Pelargonium vitifolium</i>	from material collected in RSA	PB
1014	<i>Pelargonium vitifolium</i>	GE 4097 Silverhill seeds	DXV
1015	<i>Pelargonium vitifolium</i>	isolated pollination sp	JM
1016	<i>Pelargonium worcesterae</i>		PB
1017	<i>Pelargonium worcesterae</i>	GE 2399 MST 237	DXV
1018	<i>Pelargonium worcesterae</i>	op	CJ
1019	<i>Pelargonium worcesterae</i>	op	ABR
1020	<i>Pelargonium worcesterae</i>	controlled pollination	CW
1021	<i>Pelargonium xerophyton</i>	GE 22465 MV 4538 Pofadder	DXV
1022	<i>Pelargonium zonale</i>	op	LF
1023	<i>Pelargonium zonale</i>		MS
1024	<i>Pelargonium zonale</i>		GA
1025	<i>Pelargonium zonale</i>	Bavianskloof, RSA fc	JM
1026	<i>Sarcocaulon flavescens</i>	op	BH
1027	<i>Sarcocaulon herrei</i>	op	BH
1028	<i>Sarcocaulon l'heritieri</i>	hp	BH
1029	<i>Sarcocaulon patersonii</i>	hp	JAA
1030	<i>Sarcocaulon patersonii</i>	controlled pollination	CW

Seed Remaining from IGG seed list 2016/7

Pelargonium

- 1 *P. abrotanifolium* - LF
- 3 *P. abrotanifolium* x *P. reniforme* - CT
- 4 *P. abrotanifolium* x *P. reniforme* - LF
- 5 *P. acetosum* - DXV
- 7 *P. acetosum* - OP - CJ
- 9 *P. "adriaanii"* - ex DXV 1316, Port Nolloth - DXV
- 10 *P. aestivale* - HP, ex. Fraserburg - BH
- 14 *P. alchemilloides* - CT
- 15 *P. alchemilloides* - DM
- 16 *P. alchemilloides* - OP - CJ
- 17 *P. alchemilloides* - pink flowers, ex Tradouw Pass col. - JM
- 18 *P. alchemilloides* - PW
- 19 *P. alchemilloides* - RR
- 24 *P. alternans* - ex AL 4479 as "P. alt. subsp. alternans" - DXV
- 27 *P. alternans* subsp. *longicalcar* - ex MST 254 - DXV
- 29 *P. althaeoides* - DXV
- 31 *P. appendiculatum* - OP - BH
- 32 *P. appendiculatum* - CR
- 33 *P. appendiculatum* - DXV
- 34 *P. appendiculatum* - EDM
- 35 *P. appendiculatum* - NM
- 36 *P. appendiculatum* - ex Parc Floral de Paris - PB
- 38 *P. aridum* (few) - OP - BM
- 39 *P. aridum* - CT
- 43 *P. aridum* - HP - RC
- 47 *P. aridum* x *quinquelobatum* - EDM
- 48 *P. aristatum* - HP - BM
- 51 *P. auritum* - pink flowers - EDM
- 53 *P. auritum* (*P. auritum* subsp. *auritum*)(few) - DXV
- 57 *P. auritum* subsp. *carneum* - DXV
- 58 *P. auritum* subsp. *carneum* (few)- ABS
- 59 *P. "australe"* - CT
- 60 *P. "australe"* - DM
- 61 *P. "australe"* - PW
- 62 *P. "australe"* - OP- RM
- 63 *P. "australe"* - OP - pink form - RM
- 65 *P. "australe"*- Smallish plant, glossy green leaves and pink flowers - RR
- 71 *P. barklyi* (few) - OP - BM
- 72 *P. barklyi* - CR
- 73 *P. barklyi* - DXV
- 74 *P. barklyi* - EDM
- 75 *P. barklyi* - JM
- 76 *P. barklyi* (few)- LF
- 77 *P. barklyi* - NM
- 78 *P. barklyi* (few) - SR
- 79 *P. barklyi* - ex GGSD 2016 - TC
- 87 *P. "buysii"* - DXV
- 88 *P. "buysii"* - PW

- 89 *P. caledonicum* - EDM
- 90 *P. caledonicum* - ex. Caledon, RSA col. - JM
- 93 *P. campestre* - EDM
- 95 *P. campestre* - OP - RM
- 96 *P. campestre* - white flowers - SR
- 99 *P. candicans* - ex Muenster Collection - DXV
- 103 *P. capitatum* - ex Montague Pass col. - CR
- 104 *P. capitatum* - DM
- 105 *P. capitatum* - from plants grown from Silverhill seed - DXV
- 111 *P. carnosum* - ex SR 5508 - DXV
- 112 *P. carnosum* (few) - ex STEU 1815, Yzerfontein, Noth of Cape Town - DXV
- 113 *P. carnosum* - OP - RM
- 115 *P. carnosum* (few) (sent as *P. ferulaceum*) - ex Hollygate1974 - BM
- 116 *P. carnosum* (sent as *P. ferulaceum*) - ex A & B 4435 coll. Worcester, W. Cape - DXV
- 117 *P. carnosum* (sent as *P. ferulaceum*)- ex DT 1590, Poortjieskloof Pass, Western Cape - DXV
- 118 *P. carnosum* (sent as *P. ferulaceum*) -ex DXV1301 to 05 - DXV
- 119 *P. carnosum* (sent as *P. ferulaceum*)- ex MV 2116 - DXV
- 120 *P. carnosum* (few) (sent as *P. ferulaceum*) -ex DXV1306 from the Witteberge Reserve, Western Cape - DXV
- 122 *P. ceratophyllum* (few) - ex STEU 3044. Ludcritz, Namibia - DXV
- 123 *P. ceratophyllum* - ex Silverhill Seeds - LF
- 124 *P. ceratophyllum* (very few) - MH
- 129 *P. chelidonium* - NM
- 131 *P. columbinum* - DXV
- 132 *P. cordifolium* - DXV
- 134 *P. cortusaefolium* - ex Parc Floral de Paris - PB
- 136 *P. "cotyledonis"* (Ventnor form)(few) - SR
- 137 *P. crassicaule* (*P. mirabile*) - HP - BH
- 139 *P. crithmifolium* (few) - BM
- 140 *P. crithmifolium* - ex The Herb Nursery, Rutland - TC
- 145 *P. cucullatum* - DXV
- 146 *P. cucullatum* - sweetly scented leaves, fls. soft violet - CR
- 147 *P. cucullatum* (very few) - ex double form - CT
- 148 *P. cucullatum subsp. strigifolium* - NM
- 153 *P. curviandrum* - DXV
- 155 *P. dasyphyllum* - DXV
- 156 *P. dasyphyllum* - ex STEU 2852 - DXV
- 157 *P. denticulatum* - HP - RC
- 160 *P. desertorum* - ex Parc Floral de Paris - PB
- 162 *P. dolomiticum* - DXV
- 163 *P. dolomiticum* - PW
- 167 *P. "drummondii"* - CT
- 168 *P. "drummondii"* - SR
- 169 *P. "drummondii"* - ex GGSD 063-2013, RA
- 170 *P. echinatum* (few) - white with upper dark markings, long streaks on lower - CR
- 171 *P. echinatum* (very few) - clear white, dark blotch on upper, long magenta mark on lower - CR
- 172 *P. echinatum* (very few) - HP, white, petals marked maroon - CR
- 173 *P. echinatum* (very few) - medium pink, dark markings on upper, magenta lines on lower - CR
- 174 *P. echinatum* (very few) - white, red dot on upper, fuschia lines on lower - CR
- 175 *P. echinatum* (very few) - multi-stemmed, white, red dot on upper, fuschia lines on lower - CR
- 176 *P. echinatum* (few) - HP. large candy pink upper clusters, lower blotched - CR

- 177 *P. echinatum* (very few) - HP. mauve fls. lavender and maroon markings - CR
- 178 *P. echinatum* (very few) - HP. white, uppers with maroon feathering - CR
- 179 *P. echinatum* (few) - HP. ex Vredendal col. White with red markings - CR
- 180 *P. echinatum* (very few) - HP. candy pink, squarish dark spots - CR
- 181 *P. echinatum* (very few) -HP. reflexed lavender pink with markings - CR
- 182 *P. echinatum* (very few) -HP. white, burgundy streak on upper, lowers with red lines - CR
- 183 *P. echinatum* - ex DXV1309 -13, richtersveld, North Cape - DXV
- 184 *P. echinatum* - EDM
- 185 *P. echinatum* (very few) - LF
- 187 *P. elongatum* - PW
- 195 *P. exhibens* - ex Parc Floral de Paris - PB
- 196 *P. exhibens* - DXV
- 201 *P. "fischeri"* - LF
- 203 *P. frutetorum* - superb plant, long flowering, drought tolerant - RR
- 206 *P. "fulgens"*- OP - pale pink, ex Dutch nursery - RM
- 208 *P. fulgidum* - DXV
- 209 *P. fulgidum* (few) - LF
- 210 *P. fulgidum* - ex GGSD 078-2013 - RA
- 211 *P. fulgidum* - HP - RC
- 218 *P. grandiflorum* (very few) - CT
- 219 *P. grandiflorum* - DXV
- 220 *P. grandiflorum* - JM
- 221 *P. graveolens* - DM
- 222 *P. grossularioides* - CT
- 223 *P. grossularioides* (few) - DXV
- 225 *P. hirtum* - ABR
- 226 *P. hirtum* - ex MST319 from plants collected by Matija Strlic, South of Darling - DXV
- 227 *P. hirtum* - ex DXV 2016 - TC
- 232 *P. hispidum* - CR
- 233 *P. hispidum* - DXV
- 240 *P. incrassatum* - magenta. EDM
- 241 *P. incrassatum* - MH
- 242 *P. incrassatum* - NM
- 244 *P. incrassatum* - pink - EDM
- 245 *P. inodorum* - AC
- 246 *P. inodorum* - JM
- 247 *P. inquinans* (few) - OP - CJ
- 249 *P. iocastum* - CR
- 250 *P. iocastum* (few) - DXV
- 251 *P. iocastum* - PW
- 255 *P. ionidiflorum* - OP - CJ
- 256 *P. klinghardtense* - OP - BH
- 257 *P. "laxum"* - DM
- 258 *P. "laxum"* - DXV
- 259 *P. "laxum"* - ex Anysberg Reserve collection, Little Karoo - DXV
- 260 *P. "laxum"* - ex MST217 coll. by Strlic nr Cradock, E. Cape, fibrous rooted, medium petioles, white margins - DXV
- 265 *P. "laxum"* (Sent as subsp. karooicum) - ex A & B 4447, collected near Oudtshoorn - DXV
- 271 *P. longicaule* - DM
- 272 *P. longicaule* - HP - RC
- 273 *P. longicaule* (var. longicaule) - NM
- 278 *P. madagascariense* - OP - AC

- 279 *P. madagascariense* - seeds freely - RR
 280 *P. madagascariense* - SR
 283 *P. magenteum* - HP - BH
 284 *P. "mammulosum"* - ex MV 2448. See newsletter - SR
 285 *P. "mollicomum"* (few) - CT
 286 *P. "mollicomum"* - DXV
 287 *P. "mollicomum"* -ex Grootcholten - LF
 288 *P. "mollicomum"* (few) - SR
 294 *P. multibracteatum* - PW
 295 *P. multibracteatum* - Pink flowers - LF
 296 *P. multibracteatum* - White flowers - LF
 301 *P. multicaule* - CR
 314 *P. "myrrhifolium var. coriandrifolium"* - ABR
 315 *P. "myrrhifolium var. coriandrifolium"* - pink form, ex Muenster BG collection - DXV
 316 *P. "myrrhifolium var. coriandrifolium"* - white flowered form - DXV
 319 *P. myrrhifolium*. (Sent as myrrhifolium var. myrrhifolium) - ex GGSD 118-2014 - RA
 323 *P. oblongatum* - HP - BM
 324 *P. oblongatum* - DXV
 329 *P. ochroleucum* - DXV
 333 *P. odoratissimum* - ex. Buffelsfontein, RSA col. - JM
 334 *P. odoratissimum* - LF
 338 *P. ovale subsp. hyalinum* - DXV (subsp hyalinum ignored by the PLANT LIST).
 339 *P. ovale subsp. hyalinum* - ex Parc Floral de Paris - PB
 343 *P. papilionaceum* - CR
 344 *P. papilionaceum* - DXV
 348 *P. "parviflorum"* - ex Alexander Bay collection, Northern Cape - DXV
 349 *P. "parviflorum"* - ex MV6822 collected by the late Mike Vassar at Platbakkies, Northern Cape - DXV
 350 *P. "parviflorum"* (few) - ex DXV 1501, kamieskroon, Northern Cape - DXV
 353 *P. patulum* - OP - AC
 356 *P. petroselinifolium* - NM
 357 *P. petroselinifolium* - HP- BH
 359 *P. polycephalum* - CT
 362 *P. proliferum* - NM
 364 *P. pulverulentum* - OP - palmate leaf form, ex Robin Parer - BH
 365 *P. punctatum* (few) - DXV
 366 *P. quercifolium* - OP - CJ
 367 *P. quercifolium* - Little Karoo - DXV
 369 *P. quinquelobatum* - ABR
 370 *P. quinquelobatum* - OP - AC
 371 *P. quinquelobatum* - OP - CJ
 372 *P. quinquelobatum* - CT
 373 *P. quinquelobatum* - JM
 374 *P. quinquelobatum* - LF
 375 *P. quinquelobatum* - MH
 376 *P. quinquelobatum* - RR
 377 *P. quinquelobatum* ex 'Yemen' - greyish flowers, hints of blue & pink - RR
 379 *P. quinquelobatum* - large yellow flowers, poss. hybrid from Eastern Cape - RR
 382 *P. radiatum* - NM
 383 *P. radulifolium* - DXV
 384 *P. ranunculophyllum* - OP - CJ
 387 *P. rapaceum* - DXV

- 388 *P. rapaceum* - pinks and yellow - EDM
390 *P. "redactum"* - JM
391 *P. "redactum"* - ex Parc Floral de Paris - PB
392 *P. "reflexipetalum"* - NM
395 *P. reniforme* - LF
396 *P. ribifolium* - ex Parc Floral de Paris - PB
399 *P. scabrum* (very few) - CT
406 *P. sidoides* - flowers dark red and fragrant - LF
407 *P. species* (Hoarea) (few) - HP - col. Platkloof, small yellow fls., 2 anthers - BM
408 *P. species* - Section Jenkinsonia? - LF
411 *P. species* - Probably hybrid Otidia - LF
413 *P. species* (Otidia) - ex John Lavranos. Col. Kamchab Port - NM
414 *P. species* (Section Otidia) - ex DT 3102 ("laxum") - SR
415 *P. species* (Section Otidia) - ex DT 5690 ("laxum") - SR
416 *P. species* (Section Otidia) - ex. DT 6383 (crithmifolium) - SR
417 *P. species* (Section Otidia)("laxum")(few) - SR
418 *P. species* (Section Otidia)(aff. carnosum) (few) - red flowers - SR
420 *P. species* aff. littorale - DXV
421 *P. species* aff. vassarii - ex MV 5851 - DXV
422 *P. species* ex MV 3133 (Otidia) (few) - BM
423 *P. species* ex MV5815 (Otidea) (few) - HP - BM
425 *P. stipulaceum* - DXV
428 *P. suburbanum* - OP - BH
430 *P. tabulare* - DXV
431 *P. tabulare* (few) - OP - CJ
434 *P. tenellum* - EDM
437 *P. tetragonum* - DXV
440 *P. tongaense* - OP - BM
441 *P. tongaense* - OP - CJ
442 *P. tongaense* - CR
443 *P. tongaense* - DXV
444 *P. tongaense* (few) - ex GGSD 405-2016 - TC
445 *P. tongaense* (very few) - CT
452 *P. trifidum* - OP - CJ
453 *P. trifidum* - CR
456 *P. triste* - HP - BH
457 *P. triste* - col. Citrusdal, RSA - JM
462 *P. vinaceum* - DXV
465 *P. vitifolium* - DXV
470 *P. "worcesterae"* - OP - CJ
471 *P. "worcesterae"* - DM
472 *P. "worcesterae"* - ex MST 237 - DXV
473 *P. "worcesterae"* - SP, ex plants from GGSD 180-2012 - RA
474 *P. "worcesterae"* (few) - OP - BM
476 *P. xerophyton* (few) - SR
477 *P. zonale* - OP - pale pink - AC
478 *P. zonale* - up to 1.5 m, attractive red - LF

Erodium

- 483 *E. acaule* - PW
484 *E. carvifolium* - MLH
485 *E. castellanum* - OP - RM

- 486 *E. cicutarium* - Pink flowered British native. Grows well in spartan ground - AR
487 *E. crinitum* - RR
488 *E. gruinum* - RR
489 *E. Iberian species mixed* - Pot luck, probably contains good new hybrids - MLH
490 *E. x lindavicum* - pink - MLH
491 *E. manescavii* - AR
492 *E. manescavii* - CR
493 *E. moschatum* - Original collection made in Wales. Unusual British native - AR
494 *E. 'Sans Culottes'* - Seed from Jean-Pierre Jolivot's 'Robespierre', comes fairly true - AR
495 *E. telavivense* - BM
496 *E. telavivense* - OP - RM
497 *E. telavivense* - RR
498 *E. trifolium* (*E. hymenodes*) - AR
499 *E. trifolium* - MH
500 *E. trifolium* - PW
- Geranium**
- 501 *G. albanum* - DM
502 *G. arabicum* - col. Bamboutos Mts., Cameroon - DE
503 *G. biuncinatum* - DE
504 *G. caespitosum* - pale pink/white flowers - MLH
508 *G. clarkei* - white form - MH
509 *G. collinum* (obtained as *G. meeboldii*) - OP - pink flowers - MVV
510 *G. favosum* - originally from Peter Yeo at Cambridge. A larger *G. biuncinatum*. Pink - TS
511 *G. ibericum* ex 'Ushguli Grijs' - OP - MVV
512 *G. ibericum* ex 'White Zigana' - OP - MVV
513 *G. ibericum subsp. jubatum* - AR
514 *G. incanum* - OP - MVV
515 *G. macrorrhizum* - From various cultivars - AR
516 *G. maculatum* ex 'Beth Chatto' - DE
518 *G. platyanthum* - Ex 'Russian Giant' - AR
519 *G. platyanthum* (*G. eriostemon* var. *reinii*) - DE
520 *G. platyanthum* ex 'Leucanthum' - DE
521 *G. platypetalum* - AR
522 *G. platypetalum* - DM
523 *G. platypetalum* - OP - MVV
524 *G. platypetalum* (few) - MLH
525 *G. pratense* - Good blues. Cultivated forms of our British native - AR
527 *G. pratense* ex 'Lolke's Geel' - OP - MVV
529 *G. psilostemon* (very few) - DM
530 *G. renardii* (few) - PW
532 *G. soboliferum* - The low Kyushu Island form - AR
533 *G. species* - Pink, white centered flws. Probably *G. rubifolium*. From GG seed list, many years ago - AR
534 *G. species* from Kazakhstan- OP - MVV
536 *G. subcaulescens* - MLH
538 *G. sylvaticum* - British native, from cultivated stock - AR
539 *G. thunbergii* - DM
540 *G. wallichianum* - Ex Chadwell. Dusky pink, intricate reverse to petals, compact - AR
541 *G. wallichianum* - from Kailash Himalaya. A Chadwell collection - AR
542 *G. wallichianum* - Good Blue. MH
543 *G. wallichianum* Blue Forms. AR
545 *G. wlassovianum* - AR

546 *G. yesoense* ex 'Lydia' - OP - MVV

Monsonia

547 *M. emarginata* (few) - CT

548 *M. praemorsa* (few) - BM

LIST OF SEED DONORS 2017/8

ABR	Alan Butler	LF	Luuts Feenstra
ABS	Allan Burns	MB	Mike Brown
AC	Dr. Andy Cherkas	MH	Mary Hoogvliet
AN	Alexandr Naumenko	MLH	Mary Louise Hegedus
AR	Allan Robinson	MS	Matija Strlic
BH	Barbara Hall	MVV	M. Veer de Vries
BM	Bill Morris	NM	Noel Magnusson
CH	Chris Hitch	PB	Patrice Barboutie
CJ	Christopher Jenkins	PG	Philip Greswell
CR	Carol Roller	PL	Peter Liekkio
CS	Chris Steele	PO	Pauline Olney
CT	Chris Tilanus	PW	Peet van der Waal
CW	Carsten Weber	RA	Robin Anderson
DE	Dr. Dominique Evrard	RC	Ron Crawford
DM	Daniel Mercier	RK	Rein ten Kloster
DXV	David Victor	RM	Ray Mitchell
EDM	Ernie De Marie	RR	Richard Reidy
GA	Gitte Ådahl	SC	Sue Clarke
GR	Greig Russell	SR	Sydney Reed
JAA	Jean-André Audissou	TC	Dr. T.P.Cutler
JB	Prof. Dr. Jochen Bockemühl	TO	Tina Ottesen
JM	Jan Movitz	TS	Thomas Schulz
KK	Katya Kotskaya	WB	William Baird

I have left in the names of all seed donors from last year as some may apply to the remainders list, but there have been many changes in the donors' list. 16 of those listed last year did not donate this year for various reasons, but the good news is that we have ELEVEN NEW DONORS! Our thanks go to all donors for their work and generosity. Preparing seed is not an easy task requiring several hours work pollinating, collecting, cleaning and packaging, especially when there are many kinds.